


Stock No. 26273

PLAT OF SURVEY U.S. GOVERNMENT LAND

BEING THE NE 1/4, THE SE 1/4, THE SE 1/4 OF THE NW 1/4 AND THE E 1/2 OF THE SW 1/4, SECTION 6, TOWNSHIP 31 NORTH, RANGE 15 EAST, FOURTH PRINCIPAL MERIDIAN, LANGLADE COUNTY, WISCONSIN.



RECORD # 10345
LANGLADE COUNTY SURVEYORS OFFICE
DATE FILED: 12/7/93 BY: DT

Conversion Factors:
Meters to Feet- 3.28084
Feet to Meters- 0.304801

LEGEND


- 6"X48" concrete with 2" brass cap.
- ◐ 2"X60" galvanized pipe with 3" brass cap.
- ◑ 2"X36" aluminum pipe with 3" aluminum tablet.
- ◒ 2"X30" aluminum pipe with 3" aluminum tablet.
- 2"X30" aluminum pipe with 3" aluminum tablet set this survey.

— Boundary U.S. Government Land, marked and posted to U.S.F.S. standards.

() Original distances in chains.

Stock No. 26273

ENCROACHMENTS
Section 6, T31N, R15E



Stock No. 26273SURVEY NOTES

This survey was made by Robinson & Associates, Inc. pursuant to United States Department of Agriculture, Forest Service Contract #53-56A6-5-00095, True Line Survey for the purpose of marking and perpetuating the exterior and interior boundary lines of the U.S. Government land on the perimeter and within Section 6, T31N, R15E, Langlade County, Wisconsin as shown on the plat herewith.

The U.S. Government lands in this section were acquired in 1934.

The original Government subdivision survey of this township was made in 1857.

The corner positions recovered, restored, and established by this survey are marked by the monument described in the map legend.

The corner positions established were located to an accuracy of one part in 3000.

The bearings between corner positions are true bearings as determined by solar observations.

The field notes of this survey and a copy of this plat are on file in the Forest Supervisor's Office in Rhinelander, Wisconsin.

CORNERS RECOVERED

1. Section Corner to Sections 1, 6, 31 and 36, T31N, R15E
Document in Langlade County Survey Records.
2. Section Corner to Sections 6, 5, 31 and 32, T31N, R15E
Document in Langlade County Survey Records.
3. Section Corner to Sections 1, 6, 12 and 7, T31N, R15E
Document in Langlade County Survey Records.
4. Section Corner to Sections 6, 5, 7 and 8, T31N, R15E
Document in Langlade County Survey Records.
5. Quarter Corner to Sections 31 and 6, T31N, R15E
Document in Langlade County Survey Records.
6. Quarter Corner to Sections 6 and 5, T31N, R15E
Document in Langlade County Survey Records.
7. Quarter Corner to Sections 6 and 7, T31N, R15E
Document in Langlade County Survey Records.
8. Quarter Corner to Sections 1 and 6, T31N, R15E
Document in Langlade County Survey Records.

Stock No. 26273

CORNERS ESTABLISHED

1. Center North One-Sixteenth Corner to Section 6, T31N, R15E
Corner established proportionately and on line between the Center
one-quarter corner and North one-quarter corner of Section 6.
 Corner References:

Red Pine	8"	N76°E	33.59 feet
Red Pine	5"	S10°E	21.79 feet
Red Pine	5"	S77°W	31.45 feet
Steel Sign Post		West	1.35 feet

2. North West One-Sixteenth Corner to Section 6, T31N, R15E
Corner established at the intersection of the North and West
one-sixteenth lines of Section 6.
 Corner References:

White Spruce	9"	N68°E	23.92 feet
Black Cherry	10"	S16°E	115.56 feet
Steel Sign Post		South	1.46 feet

3. Center West One-Sixteenth Corner to Section 6, T31N, R15E
Corner established proportionately and on line between the Center
one-quarter corner and the West one-quarter corner of Section 6.
 Corner References:

Red Maple	5"	N59°E	18.57 feet
Black Cherry	7"	S25°E	12.18 feet
Steel Sign Post		North	1.98 feet

4. West One-Sixteenth Corner to Sections 6 and 7, T31N, R15E
Corner established proportionately and on line between the South
one-quarter corner and the South West corner of Section 6.
 Corner References:

Sugar Maple	7"	N10°E	17.58 feet
Red Maple	7"	N59°W	21.15 feet
Steel Sign Post		North	1.83 feet


Stock No. 26273

SURVEYOR'S AFFIDAVIT

State of Wisconsin) ss
County of Langlade)

I, Robert H. Winat, registered land surveyor in the State of Wisconsin, hereby certify that I have run the boundary lines shown hereon and set the established corners in Section 6, Township 31 North, Range 15 East, Fourth Principal Meridian, Langlade County, State of Wisconsin.

The plat map and the notes herewith are a correct representation of the land which was subdivided by the U.S. Forest Service Surveyor based on traverse work by a separate previous contract. The controlling corners were set and certified to by the U.S. Forest Service Surveyor. I have surveyed said boundary and set said established corners in accordance with the rules for survey of the public lands and with the statutes of the State of Wisconsin.



Robert H. Winat
R.L.S. State of Wisconsin
Certificate S-1040

Date of Survey: 1985

Plat Ready for Filing

District Ranger