

RETRACEMENT OF ORIGINAL GOVERNMENT
FIELD WORK OF THE TOWNSHIP BOUNDARIES OF
TOWNSHIP 34 NORTH, RANGE 10 EAST, with
TRUE BEARINGS AND DISTANCES, and NEW BEAR-
ING TREES and OBJECTS.

BY:

D. A. Hintz

E. F. Kowalke

C. W. Borth

RECORD # 10598
LANGLADE COUNTY SURVEYORS OFFICE
DATE FILED: 4/29/03 BY: D. TUNSTY

1936 RE-SURVEY

INDEX

for

T.34 N. R.10 E.

7	6	5	4	3	2	1
13	6 37	5 32	4 28	3 23	2 18	1 13
39	38	35	32	27	22	18
13	7 38	8 31	9 27	10 22	11 17	12 12
13	30 37	37	31	26	22 21	19
13	37	31	26	22 21	19	15
13	18 36	17 31	16 26	15 21	14 16	13 12
13	36	31	26	22 21	19	16
13	36	31	26	22 21	19	16
13	19 35	20 30	21 25	22 20	23 15	24 10
13	35	30 24	24 18	20 15	15 10	15
13	34	29 24	28 24	27 20	26 15	25 10
13	33	33	29	24	19	14
13	33	32 28	33 23	34 18	35 14	36 10
13	32	10 9	9	8	7	7

Notice.

The True Bearing for each distance appears below the heading for each distance. The Magnetic bearing for each distance can be calculated by taking the True Bearing for that particular distance, and in Northeast and Southwest Quadrants subtract it from the Average Declination of N 2 - 23 E. For Magnetic Bearings in the Northwest and Southeast Quadrants Add the True Bearing to the Average Declination.

In all cases the vernier for Magnetic courses is set at zero.

EAST TOWNSHIP BOUNDARY

Starting from the SE corner of section 36, T 34 N, R 10 E, which is a Brass cap set in concrete and a 4 inch boiler tubing.

THEN:

North Bet. Sec. 36 - 31

Bearing: N 1 - 01 W

This section line runs on the W side of the old Town road.

20.65 Chs. Set the S 1/16 Cor. on the

West side of Town road and in old fence line running West.

41.30 "

To 1/4 Cor. This Cor. reestablished from B.F. Dorr's old field work on this line.

Set W.C. 30 lks. West.

New B.T. Pine Stp. 24 Due West 83.9 lks.

Bearing: N 1 - 30 W

This Sec. line was run on the road and so is a Traverse line and the corrections made from this line. This line crosses several ponds.

20.91 "

Set the N 1/16 Cor. on the East Shore of small pond.

31.00 "

Come back to Town road and follow it to the Sec. corner.

41.82 "

To Sec. Cor. 30-31-36-25.

Orig. B.T. gone.

New: Tam. stp. 9 S 82 E 41 lks.

Maple 6 S 26 W 64.9 lks.

Hem. 14 S 25 E 100.7 lks.

Hem. 14 N 31 E 147.8 lks.

North Bet. Sec. 25-30

Bearing: N 2 - 01 E

Follow Town Road

20.04 "

Set S 1/16 Cor. about 6 ft.

40.08 "

Last of roadway.

To 1/4 Cor. Iron pin in Roadway.

Set W.C. 50 lks. West.

Reest. B.T. Sugar 14 N 82 1/2 E.

Birch Stp. 24 N 62 W 44 lks.

New Hem. 16 S 71 1/2 E 47.3 lks.

Bearing: N 1 - 10 W

19.955 "

Set N 1/16 Cor.

Town road runs N-S & SW.

East Boundary Cont.

24.50	Chs.	Enter Swamp.
31.40	"	Bridge. Creek runs East.
38.00	"	Leave swamp.
39.91	"	To Sec. Cor. 19-30-25-24.
		This Sec. Cor. reset from the
		N 1/16 Cor. bet. Sec. 25-30.
		Old B. T. gone.
		New Pine stp. 12 S 66W 70.8 lks.
		Stone 12x14x? N 65 W 49.1 lks.
		North bet. Sec. 24-19
		Bearing: N 1 - 35 E
20.615"		Follow unused town road.
34.00	"	Set S 1/16 Cor. in old roadway.
41.23	"	Enter on town road again.
		To 1/4 Cor. Iron pin in road.
		Old B. T. gone.
		New Stone 2'x3'x? S 40 1/2 W 58
		lks.
		W. C. 50 lks. West.
		Bearing: N 3 - 56 W
20.38	"	Set N 1/16 Cor. as W.C. and
		in line with fence to West.
32.50	"	Bridge on North branch of
		Hunting River.
40.76	"	To Sec. Cor. 18-19-24-13
		Orig. gone. Iron pin for Cor.
		W. C. 50 lks. East.
		W. Pine stp. 40 N 83 E 28 lks.
		North Bet. 13 - 18
		Bearing: N 1 - 35 E
21.50	"	Following road.
		Set S 1/16 Cor. This cor.
		agrees fairly well with fence
		line to the West but the fence
		East is too far South.
43.00	"	To 1/4 Cor. Iron pin in road.
		B. T. all gone.
		W. C. 50 lks. East.
		This 1/4 Cor. reset from N 1/16
		Cor. which is a stone and is a
		part of the Village Plat.
		Bearing: N 1 - 11 E
21.71	"	Along town road to N 1/16 Cor.
		Stone with cross on top. Also
		SE Cor. of Village Plat.
23.50	"	County Hwy. "KI" to Post Lake.
		Leave road.
43.42	"	To Sec. Cor. 7-18-13-12.
		Stone 6x8x30 broken dishes at

East Boundary Cont.

bottom. Set W. C. 2 lks. South.
No. B. T.

North Bet. Sec. 7 - 12

Bearing: N 7 - 34 E

1.50	Chs.	Enter marsh
5.00	"	Leave marsh
21.46	"	To S 1/16 Cor. on the South
		edge of R.R. ties. R.R. runs
		NE & SW.
42.92	"	To 1/4 Cor. in E & W road. This
		1/4 Cor. set on proportion by
		B. F. Dorr. No B.T. W.C. is
		set 50 lks. South.
64.38	"	To N 1/16 Cor. This cor. agrees
		with fence to the East.
85.84	"	To Sec. Cor. 6-7-12-1.
		Removed the stone and set Brass
		Cap for cor.
		New Elm 10 N 73 W 60 lks.
		Lind. 10 N 85 E 53 lks.
		Cherry 6 S 65 E 47 lks.

North Bet. Sec. 1 - 6

Bearing: N 2 - 40 E

20.285	"	Set S 1/16 Cor. which fell a
		few feet East of the N & S. fence.
40.57	"	To stone 1/4 Cor. Dorr's old B.T.
		gone but the roots.
		New Cedar 6 N 46 1/2 E 59.5 lks.
		Lind. 7 S 26 E 28 lks.

Bearing: N 0 - 44 E

1.00	"	Spring creek flows East.
20.10	"	To N 1/16 Cor. Proportioned to
		the Gov't. distance.
38.39	"	To NE Town Cor. T 34 N, R 10 E.
		Found top half of scribed stake
		and a piece of pipe.
		B.T. by unknown surveyor.
		Maple 24 N 32 1/2 E 96.8 lks.
		New Elm 5 S 75 E 33.7 lks.

NORTH BOUNDARY

West Bet. Sec. 1 - 36

Bearing: S 89 - 11 W

20.465 Chs. Follow Town Road West.
To East 1/16 Cor. In U.S. Hwy.
45. Cross in pavement.
B.T. F.A.P. post S 82 E 90 lks.
Highway sign post N 33 1/4 E 48 "
Follow Town road West.
To 1/4 Cor. Bet. 1-36 which is
25 feet south of the road.
Found wooden stake and B.T. by
unknown surveyor.
Maple stp. 12 N 82 E 17.8 lks.

40.93 "

Bearing: S 89 - 14 W.

20.535 " To W 1/16 Cor. On the S side
of the road.
41.07 " Along road to Sec. Cor. 36-1-2-35.
Set Cor. at intersection of road
N & E. Found old Maple stp.,
rotted, Northeast and roots of
Hem. Southwest as given by the
Gov't.
New Hem. 14 N 56 W 64.8 lks.
W. C. Set 50 lks. South.

West Bet. Sec. 2 - 35

Bearing: S 87 - 47 W

20.375 " To E. 1/16 Cor.
24.40 " Enter swamp.
27.60 " Leave swamp.
33.90 " Enter swamp.
37.30 " Leave swamp.
40.75 " To 1/4 Cor. Set on prop. Could
not find this 1/4 Bearing to prop.
1/4 Cor. W. Pine stp. 30 N 61 E
63.2 lks.
48.20 " Enter swamp.
61.125 " Set W 1/16 Cor.
68.00 " Leave swamp.
79.40 " Enter swamp.
81.50 " To Sec. Cor. 35-2-3-34.
Cor. is on South edge and East
end of E & W swamp.
Found piece of stake by Hutchin-
son and Orig. B.T. but Birch in-
stead of Hem. Tam. gone but roots.
Cross on rock N 34 W 2.4 lks.
New Y. Birch N 20 W 20.4 lks.
Cross on W face of Grey rock
S 21 1/2 W 26.1 lks.

North Boundary Cont.

West Bet. Sec. 3 - 34

Bearing: N 86 - 41 W

7.00	Chs. Leave swamp.
15.40	" Enter swamp.
18.10	" Leave swamp.
20.21	" To E. 1/16 Cor.
28.00	" Enter swamp.
33.80	" Island in the swamp.
35.90	" Enter swamp.
39.60	" Leave swamp.
40.42	" To Orig. $\frac{1}{4}$ Cor.
	Orig. Pine 10 S 20 W 10 lks.
	New Hem. 10 S 69 E 35.2 "
	R. Oak 10 N 83 $\frac{1}{4}$ W 39.5 lks.
	B.O. Cross on W slope of
	large rock S 88 $\frac{1}{2}$ E 41 lks.
	Cross on top of grey stone
	S 40 W 5.8 lks.

Bearing: N 88 - 57 W.

1.50	" Enter swamp.
4.00	" Leave open swamp.
5.50	" Enter swamp.
20.565	" Set W 1/16 Cor.
25.90	" Leave swamp.
30.30	" Truck road N & S.
41.13	" To Sec. Cor. 34-3-4-33.
	W.C. on East side of unimproved
	road.
	Iron pin for Cor.
	B.T. Dorr. Hem. stp. 12 S 22 $\frac{1}{2}$ E
	30 lks. by unknown surveyor.
	Y. Birch 30 N 27 W 111.8 lks.
	New Sugar 5 S 82 W 40.3 "
	Y. Birch 16 N 86 E 35 "

West Bet. Sec. 4 - 33

Bearing: S 89 - 32 W

18.00	" Enter old creek bottom.
20.50	" Creek flows NW.
20.745	" Set E 1/16 Cor. on West side
41.49	" of creek.
	To Orig. $\frac{1}{4}$ Cor. Found scribed
	stake stg. and Grulser mark up.
	Orig. Hem. 10 N 17 E 10 lks.
	Others gone. New B.O. Cross on
	large rock S 60 E 13 lks.
	Cross on top of flat stone
	N 38 E 18.95 lks.

Mag = 568-06

North Boundary Cont.

West Bet. Sec 4-33 from $\frac{1}{4}$ Cor.

Bearing: N 88 - 14 W.

Hardwood Upland all the way,
recent slashing on North and
scattered hardwoods on the South.

20.525 Chs.
41.05 "

Set the W 1/16 No B.T.

" To Sec. Cor. 33-4-5-32.

Sec. line blazed E-W-N & S. Part
of old scribed stake and B.T.
by unknown surveyor, Hem. stp.

12 N 82 W 35.1 lks.

New Maple 18 N 80 $\frac{1}{2}$ E 44 lks.

" 12 S 27 W 19.9 "

Hem. 10 N 67 W 49.2 "

B.O. Cross on top of grey
rock N 1 E 25.6 lks.

West Bet. Sec. 5 - 32.

Bearing: N 89 - 26 W.

6.60 "
13.90 "
20.65 "
22.70 "
24.20 "
32.40 "
41.30 "

Enter open swamp.

Leave swp. for Aspen cover.

Set E 1/16 Cor.

Enter E. edge of open swp.

Leave swp. for Aspen and W. Birch

Logging road slightly SE & NW.

To orig. $\frac{1}{4}$ Cor. Found both Orig.

B.T. W. Pine Stp. S 78 $\frac{1}{2}$ E 6.2 lks.

Tam. Stub. N 34 W 4.6 lks.

New W. Pine stp. 13 N 77 $\frac{1}{2}$ E 14.4 lks

W. Birch 6 S 6 W 23.2 lks.

Bearing: N 89 - 50 W

1.70 "

Leave swp. The Sec. cor. is on
the East edge of this Swp. Aspen
and W. Birch all the way to Sec.
Cor.

20.72 " Set W 1/16 Cor. just East of brush-
ed out fire lane.

25.55 " Enter open swp.

30.80 " Leave swp.

37.60 " Enter open swp.

41.44 " To Sec. Cor. 32-5-6-31.

Re-est. B.T. by Dorr.

Tam. 4 S 24 $\frac{1}{2}$ E 48.3 lks.

Tam. 4 S 28 W 20.5 lks.

Set the Cor. and no B.T. near.

North Boundary Cont.

West Bet. Sec. 6 - 31

Bearing: N 89 - 49 W.

2.10	Chs.	Leave swp. for point of high land.
6.40	"	Enter open swp. again.
18.20	"	Leave swp. for Aspen & W. Birch ridge.
20.75	"	Set E 1/16 Cor.
24.20	"	Leave ridge for Spruce Swp.
41.50	"	Set 1/4 Cor. on Prop. Wooden stake set by Hutchinson some years ago and checks O.K. No B.T.
57.60	"	Leave swp. for high land and fair growth of Norway Pine
62.25	"	Set W 1/16 Cor. No. B.T.
85.06	"	To NW Town Cor. T 34 N, R 10 E. Brass Cap by Oneida County. Hem. 12 N 85 1/2 E 69 lks. R. Oak 5 S 79 W 4.8 lks. Hem. 12 N 22 W 67 lks.

SOUTH BOUNDARY

West Bet. Sec. 36 - 1

Bearing: N 88 - 04 W.

21.075	"	Following Town Road which bears North of Sec. line.
42.15	"	Set E 1/16 Cor. which falls S. of the road and in the E & W fence line there.
59.00	"	To old 1/4 Cor. Stone with a cross on top. This Cor. sets about 70 lks. S. of E & W road and in center of road S. Set W.C. 0.90 Ch. North in fence line.
63.18	"	Leave town road which bears SW.
67.00	"	Set W 1/16 Cor. in yard.
75.00	"	New barn line runs almost thru center.
77.90	"	To C&NW RR. Track runs NW & SE. U.S. Hwy. 45, and enter town road.
84.21	"	To Stone Sec. Cor. 3 ft. under road bed. Dorr's old stone W.C. gone. Set W.C. North of Cor.

West Bet. Sec. 35 - 2

Bearing: N 86 - 28 W

7.635	"	To bluish boulder 6x7x24 on Sec. line and leave old road.
12.80	"	To shore of Summit Lake.
38.20	"	To West shore of lake E 1/16 falls in lake and did not set it.
38.61	"	To M.C. on West side of lake.

South Boundary Cont.

West Bet. Sec 35 - 2 Cont.

M.C. on West side of Summit Lake.
Stone set in concrete. Set W.C.
to it. Dorr's old Maple still
there S 25 $\frac{1}{2}$ E 16 $\frac{1}{4}$ lks.
New Maple 5 N 52 W 24.4 lks.
Maple " S 37 W 25.4 "

Bearing: MC to $\frac{1}{4}$ Cor.
N 82 - 36 W

2.98 Chs. To stone $\frac{1}{4}$ Cor. Set W.C. S. of
Stone. Dorr's old W. Pine Stp.
40 S 38 E 34.5 lks.
New Y. Birch 7 S 48 $\frac{1}{2}$ E 32.4 lks.
Y. Birch 7 S 25 E 27.1 "

Bearing: S 83 - 36 W

6.00 "
14.20 "
16.762 "
26.30 "
33.524 "

Leave old road which turns N.
Enter Spruce and Tam. Swp.
Set W 1/16 Cor.
Hit South end of high ground.
To Galv. pipe by Co. Surveyor.
Cor. to Sec. 35-2-3-34.
Dorr's old B.T. Tam. stub. S 5
W 5 $\frac{1}{2}$ lks. & Tam. stp. 8 N 26 W
15 lks.
Tam. stp. 4 N 79 W 12 $\frac{1}{2}$ lks.
New Spruce 7 N 6 $\frac{1}{2}$ E 37.8 lks.
Tam. 9 S 79 E 77.8 lks.
Tam. stub. 10 S 66 W 24.7 lks.

West Bet. 34 - 3

Bearing: S 83 - 22 W

16.719 "
33.438 "

Set E 1/16 Cor. in Swp.
Good reproduction here.
To Dorr's old $\frac{1}{4}$ Cor. (Re'est.)
Tam. 4 N 70 W 24 $\frac{1}{2}$ lks.
Tam. 4 S 20 W 31 $\frac{1}{2}$ lks.

Bearing: S 89 - 55 W

20.392 "
28.70 "
36.75 "
40.785 "

Set W 1/16 Cor. in Swp.
Leave swp. Old logging road
runs West along line and NE.
Enter small hay marsh.
To Sec. Cor. Galv. pipe by Co.
Surveyor. Remains of Spruce 5
N 61 $\frac{1}{2}$ W 19 lks. Badly burned
no other B.T.

South Boundary Cont.

West Bet. Sec. 33 - 4

Bearing: N 88 - 03 W

20.242 Chs. Distance to E 1/16 Cor. This

24.785 " Cor. not set.

To East M.C. on Duck Lake.

Set Brass cap at lake shore

as of Gov't. notes and put

Rock around the base.

Orig. Gov't. Y. Pine 10 N

46 E 14 lks.

Y. Pine 12 S 12 E 22 lks.

New W. Pine 8 N 11 E 18 lks.

B.O. Cross on large rock.

N 26 E 31 lks.

Bearing: N 84 - 36 W

Distance to $\frac{1}{4}$ Cor. in lake.

Hit East shore of point.

Over point and into lake.

To West shore of Duck Lake.

Could not find Gov't. M.C. here

Distance to W 1/16 Cor. Did not

set this Cor.

Enter Swp.

Fire Lane North & South.

Leave Swp.

To Sec. Cor. 33-4-5-32.

Galv. Iron pipe by Co. Surveyor.

& old B.T. W. Pine stp. 30 N 7 $\frac{1}{2}$ W

35 W. Pine 30 S 89 $\frac{1}{2}$ E 60 lks.

Remarked SE B.T.

West Bet. Sec. 5 - 22

Bearing: N 89 - 02 W

Set E 1/16 Cor. in old roadway

To Co. T.H. "T" & follow road

Fire lane to the South

To $\frac{1}{4}$ Cor. This Cor. reset from

E 1/16 Cor. which is set at the

road intersection.

Iron pin in roadway and W.C. set

50 lks. South of Cor.

B.O. Grey stone 2x2? S 31 E 45.3

lks.

Bearing: S 86 - 54 W

19.328 "

To East M.C. on White Fish Lake

Orig. B.T. there Tam. 12 N 34 E

4 lks. Tam. 12 S 41 $\frac{1}{2}$ W 17 lks.

not S 36 E

South Boundary Cont.

New W. Pine stp. S 7 E 12.7 lks.
B.O. Cross on North Slope of grey
rock S $1\frac{1}{2}$ W 25.6 lks.
Cross on vertical face of grey
rock S $8\frac{1}{2}$ E 28.2 lks.

West Bet. Sec. 32 - 5 cont.

Bearing S 89 - 58 W

12.30 Chs. Across White Fish lake to W.
M.C. Orig. W. Birch 8 N 38 W
6 lks. New
Hem. 10 N $1\frac{1}{2}$ W 31.8 lks.
Hem. 9 S 11 E 24 lks.
B.O. Cross on grey rock in
riprap S 36 E 5.9 lks.

Bearing: S 88 - 07 W

9.32 " To Sec. Cor. 32-5-6-31
Galv. pipe by Co. Surveyor.
Large rock N $50\frac{1}{2}$ W 47.6 lks.
Orig. Birch 16 N 10 W 25 lks.
is rotten stp.
New Hem. 13 N 9 W 49.7 lks.
Maple 5 N $52\frac{1}{2}$ E 31.5 lks.
Maple 8 S 80 W 19 lks.

West Bet Sec. 31 - 6

Bearing N 88 - 43 W

11.70	"	Thru low ground to C.T.H. "TM
19.88	"	Set E $1/16$ Cor. about 100 ft. North of highway.
30.50	"	Back to C.T.H. "TM
32.70	"	C.T.H. "TM swings SW and line follows unused road.
34.00	"	Spring South of line.
39.76	"	To prop. $\frac{1}{4}$ Cor. on East slope of hill. Set Cor. and two B.O.
	"	Stone N $84\frac{1}{2}$ W 33.3 lks.
56.20	"	Stone N 58 E 7.4 lks.
59.64	"	Old road bears SW.
	"	Set W $1/16$ Cor. at bottom of pot hole.
68.60	"	Hit curve in the old road bears SW & SE.
73.80	"	Cross old tote road N & S.
80.712	"	To SW town Cor. T.34 N, R 10 E. Brass Cap and Brook's old B.T.

WEST BOUNDARY

North Bet. Sec. 31 - 36

Bearing: N 3 - 20 W

5.40	Chs.	Old road E & W.
11.50	"	West edge of a small swp.
20.67	"	S 1/16 Cor. no B.T.
41.34	"	Set 1/4 Cor. by prop. No B.T.
62.01	"	Set N 1/16 Cor.
77.00	"	Cross old RR. grade of logging days
82.68	"	To Orig. Sec. Cor.
		Orig. Hem. 8 N 25 W 6 lks.
		Roots of Hem. NE

North Bet. Sec. 25 - 30

Bearing: N 2 - 14 E

1.00	"	Enter Spruce Swp. bears E & W.
16.70	"	Spring creek flows West 15 lks. wide.
21.01	"	Set S 1/16 Cor. in Swp.
36.00	"	Leave Spruce Swp.
42.02	"	To Orig. 1/4 Cor. Remains of orig. badly rotted.
		Hem. 12 S 12 W 16 lks.

Bearing: N 11 - 05 W

20.015	"	Set the N 1/16 Cor.
29.00	"	Enter Hardwood stand, with some improvement cutting.
40.03	"	To orig. Sec. Cor. on S edge of Fire Lane. Orig. Maple 25 stg.
		New Sugar 8 N 20 E 48.5 lks.
		" 8 N 20 W 60 "
		Y. Birch 9 S 25 W 33 "

North Bet. Sec. 19 - 24

Bearing: N 4 - 18 W

20.745	"	Set S 1/16 Cor.
25.00	"	Ironwood 6 S 62 W 31 lks.
41.49	"	West edge of pot hole & road NE.
		To Orig. 1/4 Cor. Orig. Elm rotten stp.
		Re-est. Birch 8 S 31 E 13.6 lks.
		New Birch 16 N 30 1/2 E 51 "
		" 12 S 14 W 25.4 "

West Boundary

North Bet. Sec. 19 - 24 Cont.

Bearing: N 5 - 44 W

4.70	Chs.	Leave well wooded area, for Aspen.
21.315	"	Set North 1/16 Cor.
30.00	"	Iron wood 5 N 59 E 22 lks.
42.63	"	Leave second growth Hwds. for open burnings.
	"	To Sec. Cor. 18-19-24-13.
	"	Remarked by Brooks, his B.T.'s
	"	Hem. stp. 8 N 39 1/4 W 17 lks.
	"	Hem. stp. 8 S 2 1/2 W 5 lks.
	"	Birch 8 N 5 1/2 E 24.4 lks.
	"	New Cedar post Due South 20 lks.
	"	This Cor. on SE cor. of small grassy swamp.

North Bet. Sec. 18 - 13

Bearing: N 2 - 43 E

3.40	"	Leave grassy swamp.
21.48	"	Set S 1/16 Cor. on S edge of swamp.
22.00	"	Enter Spruce Swp.
42.96	"	To Re-est. 1/4 Cor. by Brooks.
	"	His re-est. Tam. 10 S 87 W 33 1/2 lks.
	"	New Birch 6 N 26 E 17 lks. (scar with notch in it)

Bearing: N 3 - 08 E.

9.00	"	Leave Spruce swp. for Swp. Hwds.
20.85	"	Set North 1/16 Cor. in swp.
22.35	"	Gross old logging road, NW & SE.
30.00	"	Leave Swp.
32.35	"	Cross Fire lane N & SE.
35.35	"	To Prairie River 30 lks. wide and flows West.
41.70	"	To Sec. Cor. 7-18-13-12.
	"	Found old stake and iron bolt for Cor. Orig. Pine 10 S 20 W 25 lks. still shows marks, roots of others.

North Bet. Sec. 7 - 12

Bearing: N 2 - 15 E

3.00	"	Enter Cedar swp.
6.00	"	Spring creek 7 lks. wide flows SW.
20.525	"	To S 1/16 Cor. in swp.
33.00	"	Gross Spring creek 10 lks. wide and flows SW
40.00	"	Leave swp.

West Boundary Cont.

40.50 Chs.	Old road NW & SE.
41.05 "	To orig. $\frac{1}{4}$ Cor. re-est. by
	Dorr. His Cedar stp. 10 S
	63 E 27 lks.
	Birch 8 N 5 E 5.7 lks.
Bearing: N 1 - 50 E	
16.00 "	Creek 10 lks. wide flows SE.
20.74 "	Set N 1/16 Cor. at S edge of
	Swp. Beaver Dam 2.50 Chs. W.
	Enter wet open swp.
32.00 "	Leave swp. for Aspen ridge.
41.48 "	To Sec. Cor. 6-7-12-1.
	This Cor. re-est. by Brooks in
	1910 and scribed Norway 6 S
	52 E 34 lks. This is all
	gone but roots.
	New Norway 12 S 55 E 89.5 lks.
	" 10 N 40 E 84 "
North Bet. Sec. 6 - 1	
Bearing: N 1 - 58 E	
1.50 "	Enter open Spruce swamp.
20.20 "	Set S 1/16 Cor. in Swp.
40.40 "	Set $\frac{1}{4}$ Cor. on prop. in swp.
	Could not find old cor. as
	there were no trees near.
60.60 "	Set N 1/16 Cor. still in swp.
61.00 "	Leave swp.
68.00 "	Enter open swp.
78.00 "	Leave swp. for higher ground.
80.92 "	To NW town Cor. T 34 N, R 10 E.

Retracement of the original subdivision of T 34 N, R 10 E. not including Meander Lines, setting brass capped monuments and marking of new Bearing Trees and Objects.

North Bet. Sec. 35 - 36

Bearing: N 4 - 14 E

8.45 Chs. U.S. Hwy. 45 Bears NW & SE.
 10.30 " C & N W RR. track Bears NW & SE.
 20.610 " Set S 1/16 Cor. Agrees with old Cor.
 21.30 " Wire fence E & W.
 24.20 " Enter open swp.
 30.30 " Point of land from West.
 31.80 " Enter same Swp.
 38.29 " To W.C. Re-est. by Dorr from Orig. Dead Tam. 5 N 72 W 69 lks.
 41.22 " To 1/4 Cor. set by Dorr his old B.T. Dead Tam. 3 5 32 1/2 W 48 lks.

Bearing: N 4 - 32 E

13.70 " Leave swp.
 20.575 " Set N 1/16 Cor.
 29.00 " C & NW RR track and enter field.
 41.15 " To Sec. Cor. 25-36-35-26.
 Found old scribed stake in fence line identified by land owners.
 Birch 12 S 21 1/2 E 38.2 lks.
 West Bet. Sec. 25 - 36.

Bearing: N 89 - 47 W

18.365 " To E 1/16 Bet. 25 - 36.
 38.73 " To 1/4 Cor. Remains of Hem. 12 N 14 E 10 lks.
 New ~~Hemlock~~ stp. N 17 E 8.4 lks.
 Oak 7 S 28 W 42.4 lks.
 This line all newly slashed.

Bearing: N 85 - 59 W

9.10 " Enter small round swamp.
 16.70 " Leave swamp.
 18.655 " Set W 1/16 Cor.
 28.56 " C & NW RR. bears N & S.
 37.31 " To Sec. Cor. 25-36-35-26.

North Bet. Sec. 25 - 26

Bearing: N 0 - 31 W

2.30 " To U.S. Hwy. 45. This line also passes thru tile house.

North Bet. 25 - 26 cont.

19.675chs. S 1/16 Cor. in Concrete Cedar
W.C. on both sides of the road.
39.35 " This 1/4 Cor. set at intersection
of center line of road N & S.
W.C. set 50 lks. East.
Boulder NW 49.7 lks. R.W. stake
NE 60.6.

Bearing: N 3 - 13 E

20.255 " To N 1/16 Cor. Cedar W.C. set
on both sides of the road and
they agree with the fence East.
39.50 " Concrete hwy. bears NE.
40.51 " To Sec. Cor. 24-25-26-23.
Old stake in mound of rock
B.O. Cross on large stone
N 88 W 3.94 lks.

West Bet. Sec. 24 - 25

Bearing: N 84 - 09 W

17.465 " Set E 1/16 Cor.
34.93 " To Orig. 1/4 Cor. remains of
B.T. badly burned.
This 1/2 mile of line burned
by fire.

Bearing: N 89 - 53 W

8.40 " Small round swamp.
11.90 " Leave swamp.
13.10 " To C & NW RR. track almost N & S.
19.94 " Set W 1/16 Cor. in fence line
39.00 " To U.S. Hwy. 45.
39.88 " To Sec. Cor. 24-25-26-23.

North Bet. Sec. 23 - 24.

Bearing: N 1 - 24 E

8.00 " Leave West side of open field.
21.155 " Set S 1/16 Cor. on North slope
of hill breaking into swp.
27.10 " Enter large Tam. and Cedar swp.
42.31 " To 1/4 Cor. This 1/4 Cor. reset in
old road from Dorr's old measure-
ments N & S of this Cor.
Cedar 14 N 19 W 70.7 lks.
Y. Birch 8 S 27 E 20 lks.

Bearing: N 6 - 17 W

10.50 " Follow old brushed out road.
22.595 " Cross small creek flows N & E
10 lks. wide
N 1/16 Cor.

North Bet. 23 - 24 cont.

23.00 Chs. Cross North branch of Hunting
River 20 lks. wide and flows SE.
45.19 " To Orig. Sec. Cor. 13-24-23-14.
Found Orig. Tam. 5 N 83 E 15 lks.
rotten stump, set Cor. from it.
New Tam. 6 S 61 W 118 lks.
" 6 S 64 E 46 lks.
" 5 N 62 E 50 lks.
Cedar 6 N 50 W 62 lks.

West Bet. Sec 13 - 24

Bearing: N 83 - 10 W

12.50 " Leave open field for low ground.
30.90 " To C & NW RR. track.
32.30 " To U.S. Hwy. 45 bears N & S.
39.19 " To $\frac{1}{4}$ Cor. This $\frac{1}{4}$ Cor. reset
by running the $\frac{1}{4}$ line of Sec.
13 and using Dorr's old measure-
ments.
New Elm 20 N 46 E 56.9 lks.
Y. Birch 20 S 26 $\frac{1}{2}$ E 64.7 lks.

Bearing: N 83 - 28 W

5.00 " Enter Cedar and Tam. Swp.
18.90 " Set W 1/16 Cor. in Swp.
37.80 " To Sec. Cor. 13-24-23-14.

North Bet. Sec. 13 - 14

Bearing: N 0 - 41 W

20.00 " Follow old road North.
40.00 " Set S 1/16 cor. in old road.
To $\frac{1}{4}$ Cor. and leave swp.
Re-est. Cor. by Dorr.
Cedar stp. S 45 W 43 lks.
Roots of Tam. stp. S 74 W 15 lks.
New Cedar post 5 Due E 25 lks.
" 7 " W 25 lks.

Bearing: N 0 - 40 E

18.615 " Along old road thru field.
Set N 1/16 Cor. King bolt in
road. Cedar stake one rod W.
Cor. falls in line with fence
East.

37.23 " To Cor. in road. Roads N S E W.
Cor. to Sec. 12-13-14-11. Stone
Cor. W.C. brass cap N 45 E 75
lks. I. pin S 45 W 50 lks.

West Bet. Sec. 12 - 13

Bearing: N 89 - 56 W

12.52 Chs. C & NW RR track Bears N & S.
13.05 " Center C & NW Spur track
19.18 " Set E 1/16 Cor. on E shoulder
U.S. Hwy. 45. Drove rod 1"x26".
Found axle with gear on but S.
30 1/4 W 8 lks. New W.C.
Cross on top of culvert S 2 W
54 lks.
Cross on top of culvert N 25 1/4
E 27 1/2 lks.
Center of concrete & follow road
West.
Re-cross spur track.
To 1/4 Cor. Stone in road, by Dorr
& NW Cor. of Village plat.
Set W.C. brass cap 50 lks. S.

Bearing: S 89 - 36 W

20.155 " Along Town Road.
Drove rod 1"x26" in road.
New Sugar 8 N 27 1/4 E 84 lks.
" " 8 S 64 1/2 E 86 1/2 "
40.31 " To Sec. Cor. 12-13-14-11.

North Bet. Sec. 11 - 12

Bearing: N 0 - 37 W

8.00 " Along town road.
Culvert in road Headwaters of
N branch of Hunting River.
20.015 " Set S 1/16 Cor. Drove 1"x26"
road in road and set Cedar post
1 1/2 rods E & W of Cor.
29.00 " Enter swp. bears E & W.
40.03 " To 1/4 Cor. Flat stone by Dorr, 8 1/2
& B.T. by same, Tam. stp. S 58 1/2
W 29.3 lks.
Cedar stp. 5 N 58 1/2 E 47 1/2 lks.
Set brass cap 50 lks. W and Cross
on large rock N 89 1/4 W 37.5 lks.
Cross on grey rock S 50 E 50.5
lks.

Bearing: N 0 - 44 W

17.00 " Leave swp.
20.04 " Set N 1/16 Cor. and leave road.
Cross on grey rock S 24 W 57 1/4 lks.
" " flat " S 40 1/2 E 53 1/2 lks.
40.08 " Along E edge of clearing to Sec.
Cor. 1-12-11-2. Found old B.T.
by Dorr.
Hem. 11 N 45 1/2 E 54 1/2 lks.
" 13 N 78 1/2 W 44.5 " rotten stp.
New Elm 7 S 81 1/2 E 40 1/2 lks.

North Bet. 11 - 12 cont.

New Sugar 6 N 87½ W 38½ lks.
Cross on grey rock N 26½ W
29 lks.

West Bet. Sec. 1 - 12

Bearing: S 82 - 51 W

11.00 Chs. Enter cleared fields
25.535 " To center of U.S. Hwy. 45 &
put cross here for N 1/16 cor.
42.00 " Leave cleared fields for Aspen
growth.
51.07 " To ¼ Cor. Found plain stake in
fence. Cor. fence S & W.
New Maple 4 N 29¼ E 26.7 lks.

Bearing: N 89 - 56 W

20.095 " Thru second growth hardwoods &
following old fence which bears
South, and set W 1/16 cor.
40.19 " To Sec. Cor. 1-12-11-2.

North Bet. Sec. 1 - 2

Bearing: N 6 - 27 E

Thru mixed second growth Hwd.

20.13 " Set S 1/16 Cor. about 2 chs.
East of Cabin.
28.00 " Lake to West of line.
29.25 " Old truck road. Bears NW & SE.
42.26 " To old ¼ Cor. Found part of
scribed stake & rotted parts
of Orig. B.T.

Bearing: N 8 - 42 E

9.75 " Enter swp. that connects to
lake East.
11.75 " Over swp.
15.60 " Enter Spruce swp.
21.30 " Over swp. and set N 1/16 Cor.
42.71 " To Sec. Cor. 36-1-2-35.
This last ¼ mile badly burned
with second growth Hwd.

North Bet. Sec. 34 - 35

Bearing: N 0 - 13 W

24.255 " North in Spruce & Tam. Swp.
Set S 1/16 Cor. Hem. stp. 15 N
82 E 44.9 lks.
24.90 " Leave Swp. for Hwds.

North Bet. 34 - 35 cont.	
33.00 Chs.	To C.T.H. "TM" bears N 55 W or SE & then follow old fence North.
48.51 "	To re-est. $\frac{1}{4}$ Cor. by Dorr. Norway Pine 14 N 19 $\frac{1}{2}$ W 17 $\frac{1}{2}$ lks. No new B.T.
Bearing: N 2 - 07 E	
16.00 "	Leave the North end of lake which lays just West of the line.
19.675 "	Set N 1/16 Cor.
20.50 "	Truck trail East & West.
39.35 "	To Sec. Cor. 26-35-34-27. Orig. W. Pine N 61 E 18 lks. New " " 12 N 18 W 17.6 lks.
West Bet. Sec. 26 - 35	
Bearing: N 87 - 08 W	
2.50 "	To U.S. Highway 45.
13.00 "	Leave the field.
19.85 "	Set E 1/16 Cor. at point of clearing from North.
30.00 "	Enter Spruce and Tam. Swp.
39.70 "	To $\frac{1}{4}$ Cor. Found rotted stake and newer scribed stake. Orig. Tam. 10 N 25 E 18 lks. rotted stp. Other gone.
	New Spruce 3 S 27 E 27.3 lks. " 4 S 26 W 43.6 lks.
Bearing: N 86 - 07 W	
11.40 "	Hit point of high land from the N.
16.70 "	Leave Swp. for W. Birch.
20.145 "	Set W 1/16 Cor.
21.20 "	Enter Tam. and Spruce Swp.
31.80 "	Leave Swp. for selective cutting.
40.29 "	To Sec. Cor. 26-35-34-27.
North Bet. Sec. 26 - 27	
Bearing: N 1 - 41 E	
19.775 "	Set S 1/16 Cor.
22.00 "	Hem. thicket.
35.00 "	Leave thicket.
39.55 "	To Orig. $\frac{1}{4}$ Cor. Orig. Pine Stp. 10 S 20 E 14 lks. badly burned. New Maple 12 S 68 W 14.4 lks. Pine Stp. 20 N 40 E 30.3 lks.
Bearing: N 3 - 22 E	
5.00 "	Hit old Burning.
19.845 "	Set N 1/16 Cor. found old stake

	North Bet. Sec. 26 - 27 cont.
39.69 Chs.	here but it was too far E & N. To Orig. Cor. 23-26-27-22. Orig. Hem. 20 N 22 E 12 lks. burned. Old birch stp. S 30 W 17.6 lks. New Maple 4 S 70 W 74.6 lks.
	West Bet. Sec. 23 - 26
	Bearing: N 87 - 49 W
19.925 "	Set E 1/16 Cor.
39.85 "	To 1/4 Cor. Re-est. by Dorr. His old Maple 14 N 22 1/4 W 56 lks. still there. New B.T. Maple 8 S 36 W 25.3 lks. W. Ash 12 N 61 W 30.7 lks.
	Bearing: N 87 - 14 W
19.685 "	Set W 1/16 Cor. This country very rough.
39.37 "	To Sec. Cor. 23-26-27-22.
	North Bet. Sec. 22 - 23
	Bearing: N 7 - 43 W
21.00 "	Enter Cedar Swp.
24.07 "	Set S 1/16 Cor.
29.00 "	Old logging road NE & SW.
37.00 "	Small creek 25 lks. wide flows NE.
46.00 "	Leave Cedar Swp.
48.14 "	To re-est. 1/4 Cor. Orig. Birch 12 S 65 W 10 lks. New Hem. 16 N 23 E 32 1/2 lks.
	Bearing: N 4 - 12 E
19.545 "	Set N 1/16 Cor. badly burned on East side of the line with old hardwood stand on the West.
39.09 "	To Prop. Sec. Cor. 14-23-22-15. Cross on stone N 76 E 19.7 lks. " " " N 37 E 12.2 " " " " N 43 W 19.3 "
	West Bet. Sec. 14 - 23
	Bearing: N 86 - 07 W
14.31 "	North Branch of Hunting River 35 lks. wide and flows S also small creek 10 lks. wide from W.
20.155 "	Set E 1/16 Cor. in the Swp.
29.80 "	Old logging road bears NE & SW
30.00 "	Cross small creek flows SE.
40.31 "	To Orig. 1/4 Cor. Both Orig. there

West Bet. Sec. 14 - 23 cont.

Tam. 10 N 70 W 12 lks.

Tam. 9 S 85 W 22 lks.

New Cedar 10 S 28 E 14.2 lks.

Bearing: N 87 - 40 W

3.50 cms. Leave Cedar Swp. for burned
over land.

18.40 " Enter small swp.

19.435 " Set W 1/16 Cor.

20.00 " Leave swamp.

38.87 " To Sec. Cor. 14-23-22-15.

North Bet. Sec. 14 - 15

Bearing: N 1 - 48 E

18.50 " Old logging road bears N & SE.
19.445 " Set S 1/16 Cor.

35.40 " Enter small Tam. Swp.

38.89 " To Orig. $\frac{1}{4}$ Cor. Tam. 8 N 20 W
15 lks.

Tam. 6 N 23 E 20 lks. Both rotten
stubs.

Bearing: N 2 - 21 E

3.00 " Leave swp. for Aspen.

19.695 " Set N 1/16 Cor. on top of narrow
ridge, large pot hole to East.

26.20 " Old road SE & NW.

39.39 " To Sec. Cor. in W & E hwy.

Cor. to Sec. 11-14-15-10.

Cor. set at intersection with

road North. Set W.C. 50 lks. N.

Iron Pin for Cor. New W. Pine

8 S 67 E 187.3 lks.

West Bet. Sec. 11 - 14

Bearing: N 86 - 27 W

Follow town road.

Creek 15 lks. wide flows SW.

To E 1/16 Cor. Drove Iron rod

1"x26" and Cedar post 50 lks.

North and South of Cor.

Hem. 10 S 25 E 56 $\frac{1}{2}$ lks.

B.O. Cross on large grey rock

N 35 W 71 $\frac{1}{2}$ lks.

Creek 10 lks. wide runs SE.
Leave road.

Enter Creek bottom.

Stream flows NE.

To $\frac{1}{4}$ Cor. Found old stake by Dorr.

Bottom stp. of Dorr's Birch 15

S 13 E 33 lks. New E.T.

Forked Hem. 12 S 33 $\frac{1}{2}$ W 65 lks.

B.O. Cross on grey rock N 55 $\frac{1}{2}$ E
20 $\frac{1}{2}$ lks.

	Bearing: N 86 - 36 W
8.40 Chs.	To creek flows S & enter swp.
15.30 "	Spring hole North of line.
19.66 "	Set W 1/16 Cor.
27.00 "	Leave swp.
34.30 "	Enter road West and NE.
39.32 "	To Sec. Cor. 11-14-15-10.
	North Bet. Sec. 10 - 11
	Bearing: N 4 - 06 W
1.00 "	Enter swp. on old road bed.
4.00 "	Leave swp.
17.85 "	Set S 1/16 Cor. Swp. hole to E.
23.60 "	Enter Black top road N & SE.
35.70 "	To 1/4 Cor. in road (stone)
	W.C. 50 lks. West.
	Cross on large rock N 71 1/2 W 66 lks.
	New Sugar N 67 1/2 W 42 1/4 lks.
	Bearing: N 1 - 38 E
11.50 "	Leave Black top road for hwd.
	Growth.
20.59 "	Set N 1/16 Cor.
35.00 "	Enter along East edge of clearing.
41.18 "	To Sec. Cor. 2-11-10-3.
	Found old fence Cor. and Dorr's
	B.T. Hem. 10 N 85 1/2 E 34 1/2 lks.
	New Hem. 10 N 54 1/2 E 48 1/4 lks.
	R. Oak 5 S 54 W 16 1/2 lks.
	West Bet. Sec. 2 - 11
	Bearing: N 88 - 51 W
18.90 "	West on N side of clearing.
	Enter Spruce and Tam. Swp. on
	S. side.
19.64 "	Set E 1/16 Cor. in swp.
27.90 "	Leave swp.
33.30 "	Old stand of hardwoods on the S.
39.28 "	slashing, North, and leave field.
	To 1/4 Cor. Found old stake wired
	to fence cor. Dorr's old Hem. 7
	S 52 1/2 E 19 lks. Enter onto Fire
	break, to North and West.
	Bearing: N 89 - 39 W
19.705 "	Set W 1/16 Cor. Fair stand of
	mixed hardwoods to N and slash-
	ing on the South.
39.41 "	To Sec. Cor. 2-11-10-3. Fair stand
	hardwoods on both sides of line.

North Bet. Sec. 2 - 3

Bearing: N 1 - 21 E

1.50 Chs. North on fire break.
13.10 " Enter dense Spruce Swp.
Leave Spruce Swp. Fair stand
of mixed hws. both sides of
line.
16.60 " Cross logging road bears NW & SE.
20.50 " Set S 1/16 Cor. old maple stp.
12 N 38 E 17.7 lks. Old Ironwood
S 74 E 19.5 lks.
41.00 " To 1/4 Cor. re-est. by Dorr. Old
stake and B.T. by Dorr. Hem stp.
14 N 69 E 18 lks. New B.T.
Hem. 8 S 53 E 40.5 lks.
Elm. 7 S 71 1/2 W 23 lks.

Bearing: N 10 - 22 E

6.05 " Fire break turns East at 1/4 Cor.
18.50 " Enter open swp.
19.65 " Leave swp. for Aspen point.
23.60 " Set N 1/16 Cor.
30.20 " Enter same swp.
41.76 " Leave swp.
To Sec. Cor. at S. edge of Swp.

North Bet. Sec. 33 - 34

Bearing: N 0 - 19 W

22.475 " Along fence, with pasture land
to East and small Aspen reprod-
uction on West.
Set S 1/16 Cor.
Pine stp. 20 N 13 E 5.8 lks.
Fence East and field to NE.
To 1/4 Cor. in C.T.H. "TM Found
iron pipe in road. Set W.C. 50
lks. South.

33.00 " "
44.95 " "

Bearing: N 0 - 08 W

16.10 " Follow old road N, fields on
both sides of road.
22.305 " Road enters Spruce and Tam. swp.
Set N 1/16 Cor.
24.60 " Tam. 6 S 86 E 31.3 lks.
Leave swp. and end of road.
Small clearing to W and sel-
ective cutting to the East.
40.90 " Enter Spruce and Tam. Swp.
44.61 " To Sec. Cor. 27-34-33-28.
Old scribed stake & set new B.T.
Tam. 5 N 72 W 64 1/2 lks.
Tam. 5 N 8 E 72 1/2 lks.
Tam. 5 N 80 E 78 lks.

West Bet. Sec. 27 - 34

Bearing: N 89 - 17 W

19.225 Chs. Set E 1/16 Cor.
38.45 " Birch 6 S 22 E 32 lks.
To Orig. $\frac{1}{2}$ Cor. in N & S road.
Orig. Tam. 20 N 63 W 40 lks.
New Hem. 8 N 42 E 101 lks.
Birch 16 S 45 W 74 $\frac{1}{2}$ lks.

Bearing: N 88 - 29 W

11.00 " Truck road N & S.
18.735 " Set W 1/16 Cor. Hem. 18 N
78 E 10.3 lks.
33.50 " Enter Spruce and Tam. Swp.
37.47 " To Sec. Cor. 27-34-33-28.

North Bet. Sec. 27 - 28

Bearing: N 0 - 11 E

9.60 " Leave Swp. for selective cutting.
19.00 " Cross truck road bears SE & NW.
20.92 " Set S 1/16 Cor.
41.84 " Maple stp. 16 S 60 W 15.7 lks.
Thru selective logging to $\frac{1}{4}$ Cor.
Found plain stake standing. Orig.
Birch 12 S 22 E 10 lks. down.
Orig. Sugar down and rotten.
New Hem. 8 S 35 W 13.9 lks.
Fence North and East.

Bearing: N 0 - 03 E

5.40 " Enter open swp.
14.05 " Leave open swp.
21.405 " Set N 1/16 Cor. at fence Cor.
fence South and East.
B.T. Birch S 55 E 23.3 lks.
27.00 " Enter W edge of clearing to E.
37.50 " Leave clearing for selective
cutting.
42.81 " To Sec. Cor. 22-27-28-21.
Old Cor. Orig. Birch NE.
New Hem. 12 S 60 W 13.5 lks.
Hem. 8 S 65 E 6 lks.
Dorr's old Hem. 8 S 18 W 39 $\frac{1}{2}$ lks.

West Bet. Sec. 22 - 27

Bearing: N 87 - 30 W

17.65 " Standing timber North of line
20.015 " & burned slashing South of it.
Enter Cedar and Tam. swp.
33.50 " Set E 1/16 Cor. in swp.
Hem. 10 S 15 E 8 lks.
Leave Swp. and follows S edge
of same

West Bet. Sec. 22 - 27 cont.

40.03 Chs. Found old $\frac{1}{4}$ Cor. in corduroy
No B.T. Set new
Hem. 14 S 44 W 22.6 lks.
Cedar 10 S 76 E 18.7 lks.
Birch 9 N 20 E 39.7 lks.

Bearing: N 86 - 54 W

3.15 " Leave swp. at once.
5.00 " Enter creek bottom.
10.15 " To creek 10 lks. wide flows NE.
20.58 " Leave creek bottom.
41.16 " Set W 1/16 Cor.
To Sec. Cor. 22-27-28-21.
Selective cutting to N and
old timber on the South.

North Bet. Sec. 21 - 22

Bearing: N 2 - 13 W

3.00 " To truck road N & SW.
8.00 " Leave truck road NE & S.
21.85 " Set S 1/16 Cor. on N side of
selective cutting.
Hem. 8 N 15 W 14.3 lks.
43.70 " To Orig. $\frac{1}{4}$ Cor. Burned stp. of
orig. Hem. N 30 E 12 lks.
Roots of Re-est. Birch 14 S
54 W 41 $\frac{1}{2}$ lks. & Birch 12 N
20 $\frac{1}{2}$ W 40 lks. No new B.T.

Bearing: N 0 - 25 E

20.00 " Enter open swp. and leave old
burnings, thru which we have
come all the way from the S 1/16
Cor.

21.01 " Set the N 1/16 Cor.
30.00 " Leave swp. for more old burnings.
42.02 " To Sec. Cor. 15-22-21-16.
Found old scribed stake and two
old B.T. Birch stp. 16 S 56 $\frac{1}{2}$ E
53 lks. Maple stp. 10 N 56 $\frac{1}{2}$ W
37 $\frac{1}{2}$ lks. No new B.T.

West Bet. Sec. 15 - 22

Bearing: N 87 - 11 W

19.43 " Set E 1/16 Cor. on E slope of
hill just W of small wet spot.
All old burnings with some trees
on the S. side of the line.
38.96 " To $\frac{1}{4}$ Cor. in old N & S road.
Remains of orig. Hem. N 26 W 20
lks. Roots of re-est. Birch S 51
W 34 $\frac{1}{4}$ lks.

West Bet. Sec. 15 - 22 cont.

Set W.C. 40 lks. West.
Cross on stone N 60 W 68.5 lks.
" " S 61 E 43 lks.

Bearing: N 89 - 13 W

19.39 Chs. Along North side of partly cleared old Homestead and set W 1/16 Cor.

30.80 " Enter small round open swp.
36.80 " Leave swp.
38.78 " To Sec. Cor. 15-22-21-16.

North Bet. Sec. 15 - 16.

Bearing: N 0 - 44 E

6.00 " Enter on fire lane N & SW.
20.45 " Set S 1/16 Cor. in W ditch of fire lane.
33.00 " Enter small Spruce swp.
39.00 " Leave swp.
40.90 " Along fire lane to $\frac{1}{4}$ Cor.
Cor. gone but old B.T. stps. and put in a Cor. from these.
Hem. stp. 14 S 50 E 20.3 lks.
Maple 8 N 45 W 35.3 lks.

Bearing: N 1 - 08 W

4.00 " Leave fire lane bears NE.
20.055 " Set N 1/16 Cor. on W side of fire lane.

30.00 " Cross fire lane bears NW & SE.
34.00 " Back to fire lane.

40.11 " To Sec. Cor. 10-15-16-9. in road intersection N-S-E-W.

W.C. Brass cap S 32 E 61.5 lks. 40.59
Cross on stone S 33 W 61.5 lks. 40.59
" " N 33 E 53.0 lks. 34.98

West Bet. Sec. 10 - 15 on hwy.

Bearing: N 86 - 11 W

19.63 " Set E 1/16 Cor. which falls on North side of road.
39.26 " To $\frac{1}{4}$ Cor. which falls in N ditch of road. Clearing on S side of road. Set W.C. Cor. 50 lks. N.

Bearing: N 87 - 55 W

19.73 " To W 1/16 Cor. in N side of roadway. Found part of scribed stake one North side of road.
39.46 " To Sec. Cor. 10-15-16-9.

North Bet. Sec. 9 - 10 on road.

Bearing: N 0 - 22 W

16.70 Chs. Fence West and old Maple B.T. for
1/8 Cor. SE. This old Cor. in error.
Did not set new 1/16 cor. because
it would only conflict with the
lake platting.

36.50 " To orig. Gov't. M.C. on lake shore.
Orig. Birch 10 N 70 W 15 lks.
New Hem. 6 S ? E 47.1 lks.

Bearing: N 2 - 29 E

41.62 " To Sec. Cor. 3-10-94 in lake.

West Bet. Sec. 3 - 10

Bearing: N 89 - 39 W

1.30 " Enter dense Spruce swp.
14.00 " Cross N & S road.
15.21 " To orig. M.C. East side of lake.
Iron pin for Cor. W.C. set 20 lks.
East Orig. Pine 12 S 10 E 15 lks.
New Hem. 10 N 62 E 23 1/2 lks.
Tam. 14 S 25 1/2 E 27.3 lks.

Bearing: N 89 - 44 W

18.80 " Over lake and hit point from N.
20.40 " Leave point of land for lake.
28.63 " To re-est. M.C. by Dorr from
orig. On East side of point. Sub-
division of Sec. 3 - 10 made by
using a point 1.26 Chs. East of
this M.C. as the 1/4 Cor. Re-est.
B.T. from orig. cor.
M.C. Red Oak 12 N 43 1/2 W 39 1/2 lks.

Bearing: N 89 - 38 W

4.99 " To M.C. on West side of point.
This M.C. set by Dorr at same
time as East M.C. on this point.
B.T. by Dorr.
W. Birch 5 N 34 1/2 E 8.7 lks.
Webly's W. Birch 4 N 10 1/2 W
10 lks.

Bearing: N 79 - 03 W

25.94 " To Sec. Cor. 3-10-94. in Lake
Mach-Ka-No-Siew.

North Bet. Sec. 3 - 4

Bearing: N 2 - 29 E

Mag = 10-03' E

32.96 Chs. To Orig. M.C. on N side of the Lake. Cor. re-est. by Dorr from orig. and made new W. Pine 26 N 9½ E 13½ lks. This B.T. by Dorr.

Bearing: N 0 - 25 W

8.52 " Thru platting to orig. ¼ Cor. Orig. W. Pine stp. 12 S 65 W 50 lks

Bearing: N 0 - 06 W

2.00 " Leave small swp. in which the ¼ Cor. sets. (open) Enter West edge of Virgin Timber, recent slashing on the West. Old tote road NW & SE & enter swp.

11.60 " Stream 25 lks. wide flows NW. Outlet of Lake Mach-Ka-No-Siew. Set N 1/16 Cor.

16.30 " Leave the swp. for Aspen cover. To truck road NW & SW. To Sec. Cor. 34-3-4-33.

18.40 "

19.10 "

25.20 "

38.58 "

North Bet. Sec. 32 - 33

Bearing: N 2 - 31 E

2.25 " Enter Spruce Swp.

6.60 " Leave Swp. for Aspen & W. Birch.

13.60 " Enter Cedar & Spruce Swp.

21.58 " Set S 1/16 Cor. Agrees with old stake.

25.80 " Leave the swp. for Hwd. reprod-uction.

43.16 " To ¼ Cor. in C.T.H. "TM. Found

Point of old stake in the road and re'est. B.T. Maple stp. 8

S 30 W 48 lks. Set W.C. 50 lks.S.

Bearing: N 0 - 00

12.00 " Along town road, and Fire Lane swings NW.

14.00 " Enter Swp.

18.00 " Leave Swp.

21.02 " Set N 1/16 Cor. which agrees

with old Cor. in road, and

leave town road for truck trail.

24.00 " Clearing to West. Old CCC Camp site.

42.04 " To orig. Sec. Cor. 28-33-32-29.

Found scribed stake and Orig.

Sugar 8 N 13 W 15 lks. (rotten

but marks were plain) Remains

re'est. Birch 14 S 89 W 43 lks.

Rotten stp.

West Bet. Sec. 28 - 33

Bearing: N 88 - 16 W

16.85	chs.	Edge of Lake Akapota (east side)
19.637	"	To East 1/16 in lake.
29.00	"	Hit hwd. point from North.
31.35	"	Leave point.
39.275	"	Distance to $\frac{1}{4}$ Cor. in lake.
42.70	"	To West shore of lake.
42.95	"	To W.C. on West shore of lake.
		B.T. Spruce 10 N 15 W 6 lks.
		Spruce 12 S 40 " 4 lks.
48.55	"	Leave Spruce & Tam. Swp. for selective cutting.
58.912	"	Set W 1/16 Cor.
		Maple stp. 14 N 42 W 6.3 lks.
78.55	"	To Sec. Cor. 28-33-32-29.

North Bet. Sec. 28 - 29

Bearing: N 0 - 56 W

15.00	"	Along truck road. Road bears NE here.
17.50	"	Creek 5 lks. wide and flows NE.
20.86	"	Set S 1/16 Cor. This Cor. agrees with old Cor.
36.25	"	To creek 5 lks. wide flows NW.
41.72	"	To Orig. $\frac{1}{4}$ Cor. Remains of orig. B.T.
		Re'est. Hem. 16 N 4 $\frac{1}{2}$ W 52 lks.
		Hem. 14 S 11 E 35 $\frac{1}{2}$ "
		No new B.T.

Bearing: N 0 - 14 E

1.50	"	To Tag Alder Swamp.
6.00	"	Leave swp. for Aspen.
10.40	"	Enter Alder Swamp.
14.70	"	Cross Creek 10 lks. wide and flows East.
15.20	"	Leave swp. and hit old tote road.
21.085	"	Set N 1/16 Cor.
28.50	"	Enter standing Timber. Hwds.
37.00	"	Leave standing timber for old burnings and aspen.
42.17	"	To Sec. Cor. 21-28-29-20.
		Found old stake and rotten stps. of Orig. B.T.

West Bet. Sec. 21 - 28

Bearing: N 89 - 04 W

19.58	"	Thru selective logging on S and hwd. reproduction on the N and set E 1/16 Cor.
25.55	"	B.T. Ironwood 8 N 47 E 22.4 lks. Enter Spruce and Tam. Swp.

West Bet. Sec. 21 - 28 cont.

31.50 Chs. Creek 20 lks. wide flows North.
 Inlet to Pine Lake.
 34.80 " Leave swp.
 39.16 " To $\frac{1}{4}$ Cor. Did not find any stake
 but remains of orig. Birch 12
 S 15 W 7 lks. and set Cor.
 New Hem. 8 S 60 W 22.7 lks.
 Hem. 14 S 45 E 25.2 lks.

Bearing: N 87 - 11 W

5.00 " Enter Dead Tam. Swp.
 12.60 " Leave Swp. North Point of Horse
 Shoe Lake in this Swp.
 19.55 " Set West 1/16 Cor.
 39.10 " Thru old burnings to Sec. Cor.
 21-28-29-20.

North Bet. Sec. 20 - 21

Bearing: N 0 - 32 E

8.00 " Enter dense Spruce Swp.
 20.915 " Set S 1/16 Cor. in Swp.
 B.T. Spruce 6 SE 13.2 lks.
 28.00 " Leave Swp.
 35.30 " Cross Fire Lane.
 35.80 " Enter Spruce Swp.
 41.83 " To $\frac{1}{4}$ Cor. in Swp. Found old
 scribed stake standing in Swp.
 New B.T. Tam. 10 S 62 W 52 lks.

Bearing: N 0 - 40 E

8.00 " Leave Spruce Swp.
 12.00 " Over ridge and enter hay marsh.
 14.50 " Creek 15 lks. wide flows NW.
 20.91 " Set N 1/16 Cor. in Swp.
 B.T. Spruce 4 S 70 W 7 lks.
 22.00 " Leave Swp. for old burnings.
 41.82 " To Sec. Cor. 16-21-20-17.
 Found old stake and set Cor.
 This old cor. has been used for
 years. New B.O. large rock N 55
 W 65 lks.

West Bet. Sec. 16 - 21

Bearing: S 89 - 26 W

6.00 " Cross Fire Lane, Bears NE & SW.
 19.18 " Set East 1/16 Cor.
 38.36 " Birch 11 S 61 E 7.2 lks.
 Set $\frac{1}{4}$ Cor. on N side of old
 road, by prop. Hem. 10 S 55 W
 11.7 lks.
 40.00 " Enter on N edge of clearing.
 52.00 " Leave N edge of clearing & enter
 swp.

West Bet. Sec. 16 - 21 cont.

57.54 Chs. Set West 1/16 Cor. in swp.
Hem. 8 S 70 E 4 lks.
60.00 " Leave swp.
76.72 " To Sec. Cor. 16 - 21-20-17.

North Bet. Sec. 16 - 17

Bearing: N 3 - 38 W

20.53 " Set South 1/16 Cor.
41.06 " Set 1/4 Cor. on Prop. No B.T.
61.59 " Set North 1/16 Cor.
82.12 " To Sec. Cor. 9-16-17-8, in
East and West road.
Found nothing at the cor. but
found the old Birch B.T. 18 S.
29 1/2 W 78 1/4 lks. Set W.C. 50 lks.
South of the cor.

West Bet. Sec. 9 - 16

Bearing: N 88 - 40 W

16.25 " Along road and leave it bearing
SW.
18.25 " Enter open swp.
19.45 " Fence West and North.
19.62 " Set East 1/16 Cor.
21.25 " Leave swp.
29.00 " Enter Tam. swp.
39.24 " To 1/4 Cor. in fence line.
Re'est. B.T. Tam. 8 N 62 W 34 lks.
Tam. 8 S 44 W 27 1/2 lks.

Bearing: S 88 - 34 W

8.00 " Leave Swp.
11.00 " Cross town road. West & SE.
19.47 " Set W 1/16 Cor. on the S side,
of the road.
38.94 " To Sec. Cor. 9-16-17-8.

North Bet. Sec. 8 - 9

Bearing: N 1 - 24 W

21.77 " Set South 1/16 Cor. in road.
Set Cedar stake 50 lks. E & W of
Cor. Galv. iron pipe in 40.5 lks.
SW. Elm 8 N 80 1/4 E 44 lks.
25.00 " Old camp site on both sides of
the road.
43.54 " To 1/4 Cor. in road intersection.
Found well point for cor. re'est.
Maple 10 S 25 W 72 lks.
Aspen 8 S 83 1/2 E 99 lks. (rotten)
Set W.C. 50 lks. East.

North Bet. Sec. 8 - 9 cont.

Bearing: N 0 - 45 W

19.50 chs. Set North 1/16 Cor. Stake 33 lks.
East and West of cor. and
Aspen 8 S 55 E 64.6 lks.
39.00 " To Sec. Cor. 4-9-8-5. Set by
Hutchinson, old scribed stake.

West Bet. Sec 4 - 9

Bearing: N 85 - 39 W

56.65 " From Sec. Cor. in lake to M.C.
On the West side of the lake.
Beth orig. M.C., B.T. there but
down. Tam. 12 S 66 W 40 lks.
Tam. 15 N 40 W 25 lks.
Re'est. Maple 10 N 32 1/2 W 31 lks.

Bearing: N 89 - 58 W.

22.42 " To Sec. Cor. 4-9-8-5. Thru
South edge of clearing.

North Bet. Sec. 4 - 5

Bearing: N 1 - 37 W

19.46 " Along fence on W side of clearing
and set S 1/16 Cor. Fence bears E.
26.00 " Enter large open swp.
29.40 " Cross stream 8 lks. wide flows E.
38.92 " To 1/4 Cor. in Swp. Orig. Tam.
6 N 81 W 53 lks. Re'est. by Hut-
chinson, Tam. 4 S 12 E 38.5 lks.
Tam. 4 S 85 E 51.4 lks.
Tam. 6 S 55 W 103 lks.

Bearing: N 1 - 41 W

4.80 " Leave swp. for Norway grove.
10.00 " Leave Norway for hwd. reproduction.
18.18 " Set North 1/16 cor.
27.35 " Enter open swp.
32.60 " Leave swamp.
37.70 " To town line Cor. 33-4-5-32.

North Bet. Sec. 31 - 32

Bearing : N 4 - 00 E

4.20 " Cross C.T.H. "T" bears NE & SW.
8.70 " Enter Spruce and Tam. Swp.
12.00 " Leave swp.
16.70 " Enter Spruce and Tam. Swamp.
23.93 " Set South 1/16 Cor.
30.00 " Leave swamp.
33.75 " Enter Spruce and Tam. swamp.
41.00 " Leave swamp.

North Bet. Sec. 31 - 32 cont.

47.86 Chs. To Orig. $\frac{1}{4}$ Cor. Orig. Birch
rotten is N 15 E 20 lks.
New Maple 6 N 83 W 40.6 lks.
Birch 5 S 65 E 17.7 lks.

Bearing: N 1 - 26 W

20.335 " Set North 1/16 Cor.
35.00 " Enter Cedar swamp.
36.80 " Leave swamp.
39.65 " Fire lane SW & NE.
40.67 " To Sec. Cor. 29-32-31-30.
Remains of orig. Birch 10
N 15 E 20 lks. Marked stone
2'x2'x30" S 69 E 12.9 lks.

West Bet. Sec. 29 - 32

Bearing: N 89 - 08 W

15.25 " Enter Spruce and Tam. Swp.
20.10 " Set East 1/16 cor. in swamp.
39.90 " Cross fire lane bears NW & SE.
40.20 " To $\frac{1}{4}$ Cor. on North edge of Swp.
Re'est. Cor. by Hutchinson.
Cedar 7 N 54 $\frac{1}{2}$ E 23 lks.
" 6 S 80 W 16 $\frac{1}{2}$ lks. Badly
burned. New Cedar stp.
N 11 E 45 lks.

Bearing: N 87 - 10 W

3.00 " Leave swamp.
19.985 " Set West 1/16 Cor.
25.50 " Hem. 9 N 15 E 26.9 lks.
27.50 " Enter open swp.
38.90 " Leave swp.
39.97 " Cross Fire lane SW & NE.
To Sec. Cor. 29-32-31-30.
West Bet. Sec. 30 - 31
Bearing: N 89 - 25 W

6.80 " Enter Cedar swp.
13.10 " Leave Cedar Swp.
18.20 " Enter swamp.
19.65 " Set West 1/16 Cor.
35.00 " Leave swp.
39.30 " To $\frac{1}{4}$ Cor. Could not find any
B.T. but found old stake and
cruisers mark up, and set cor.
Cross on stone 4"x10"x12" E
10 lks.

Bearing: S 84 - 55 W

2.60 " Enter Alder Swp.
8.00 " Leave swp.
10.00 " Cross old RR. grade NW & SE.

West Bet. Sec. 30 - 31 cont.

25.33 Chs. Set West 1/16 Cor.
Hem. 14 S 80 E 49 lks.
28.50 " Old RR. grade SW & NE.
31.00 " Enter Spruce Swamp.
45.40 " Leave Spruce Swamp.
50.82 " To Sec. Cor. 30-31-36-25 on
West Range Line.

North Bet. Sec. 29 - 30

Bearing: N 0 - 50 W

20.78 " Set South 1/16 Cor.
B.T. Maple 7 S 76 E 23.2 lks.
36.40 " Enter Tag Alder Swp.
38.20 " Leave Swp. for open burning.
41.56 " To re'est. 1/4 Cor. Remains of
Y. Birch 10 N 55 E 14 lks. Set
1/4 Cor. with cast iron pieces
around Cor. No new B.T.

Bearing: N 0 - 54 W

20.88 " Thru old burnings with Aspen
cover and set N 1/16 Cor.
Birch 10 S 40 W 32.5 lks.
41.50 " Thru old burnings to Fire Lane
bearing E & W.
41.76 " To Sec. Cor. 20-29-30-19 on
N side of Fire Lane.
Found scribed face of old Hem.
B.T. but could not find stp. to
which it belonged and accepted
stake where it stood. Stps. all
badly burned in this area.

West Bet. Sec. 20 - 29

Bearing: N 88 - 08 W

20.22 " Thru old burnings with old
Hardwood stand on S side, &
set E 1/16 Cor.
40.44 " Thru old burnings to old 1/4
Cor. re'est. by Hutchinson,
his old B.T. Hem. 16 S 36 1/2 W
15 lks. Hem. 14 N 21 1/2 E 35 lks.
Badly burned and remains of
orig. Hem. 18 N 55 E 13 1/2 lks.

Bearing: N 88 - 30 W

2.00 " To Fire Lane N & W.
12.60 " Leave Fire Lane which bears NW.
14.00 " Enter small Spruce Swp.
19.825 " Set W 1/16 Cor. on W. edge of
Swp.

West Bet. Sec. 20 - 29 cont.

21.00 Chs. Enter onto Fire Lane to W and NE.
 39.65 " To Sec. Cor. 20-29-30-19.

West Bet. Sec. 19 - 30

Bearing: N 86 - 16 W

5.60 " Leave Fire Lane which bears NW.
 7.95 " Fire Lane N and S.
 8.20 " Enter Tag Alder Swp.
 9.40 " Creek 10 lks. wide and flows NE.
 11.00 " Leave Swp.
 23.45 " Set E 1/16 Cor.
 40.00 " Found some old 1/4 line blazes S but could not find anything of the Cor.
 46.90 " Set 1/4 Cor. on prop. Did not set any B.T.
 48.50 " Enter Swp. Spruce and Tam. around the edge.
 52.00 " Leave the Swp.
 70.35 " Set W 1/16 Cor.
 72.80 " To Fire Lane N and S.
 79.00 " Enter fair stand of Hardwood re-production.
 83.43 " To Fire Lane. Bears NE and W along Sec. line.
 95.23 " To Sec. Cor. on W range line of Sec. 19-30-25-24.

North Bet. Sec. 19 - 20

Bearing: N 4 - 47 E

4.00 " Enter Swp. at once.
 11.00 " Leave swp.
 11.00 " Creek 20 lks. wide and flows E with Swp. shore line.

18.25 " Enter on E edge of field
 19.565 " Set S 1/16 Cor.
 39.13 " Over field to Original 1/4 Cor. at edge of Swp. and found old stake and 2 badly burned stps. which correspond to the Gov't. B.T. Birch 12 S 76 W 12 lks. Hem. 20 N 34 E 15 lks.

Bearing: N 3 - 09 W

20.215 " Set N 1/16 Cor. and leave Swp. of Swp. Hardwoods.
 40.43 " To Sec. Cor. 17-20-19-18. Did not find any B.T. of any kind. Several old stakes and mound of stone around the base.

North Bet. Sec. 19 - 20 cont.

Cor. well marked by old blazing.
New B.T. Birch 18 due S 19.2 lks.
Maple 16 N 28 E 55 lks.

West Bet. Sec. 17 - 20

Bearing: S 82 - 51 W

1.00 Chs.	Enter old swamp.
19.445 "	Along North edge of swp. and
	set E 1/16 cor.
30.00 "	Leave swp. for old burnings.
38.89 "	To $\frac{1}{4}$ cor. re'est. by Hutchinson.
	Found part of old stake and spot
	up. New B.T. Hem. 10 S 40 E 17.8
	lks. Hem. 8 N 55 E 16.9 lks.

Bearing: N 86 - 54 W

10.50 "	Enter open hay marsh.
16.00 "	Cross creek 20 lks. wide flowing
	North.
20.245 "	Set W 1/16 about 1 chs. N of a
	stream from the South.
22.50 "	Leave open hay marsh, for Cedar swp
38.00 "	Leave Cedar swp.
40.49 "	To Sec. Cor. 17-20-19-18.

West Bet. Sec. 18 - 19

Bearing: N 89 - 00 W

11.85 "	Cross Fire lane N & S.
14.00 "	Enter North edge of Balsam swp.
16.50 "	Leave Swp.
20.43 "	Set E 1/16 Cor.
40.86 "	Thru old burnings to orig. $\frac{1}{4}$ Cor.
	Orig. Birch there N 24 W 10 but
	rotten. Orig. Hem. good, S 30 W
	18 lks.

Bearing: S 87 - 52 W

4.20 "	Enter Cedar and Balsam Swp.
29.78 "	Set W 1/16 Cor. on S edge of Swp.
54.25 "	Leave the Swp. for old burnings.
62.23 "	To West Range line and Cor. to
	Sec. 18-19-24-13.

North Bet. Sec. 17 - 18

Bearing: N 11 - 05 W

1.75 "	Spruce and Tag Alder Swp.
4.00 "	Leave swp. for W. Birch
19.00 "	Enter onto Fire Lane N & SW.
21.665 "	S 1/16 Cor. falls in Fire lane &
	set Cedar stake West of road.

North Bet. Sec. 17 - 18 cont.

32.00 Chs. Enter open hay marsh.
 37.00 " To N branch of Prairie River,
 30 lks. wide and flows West.
 40.00 " Leave river bottom.
 43.33 " Set the $\frac{1}{4}$ Cor. on prop. Found
 slab of old scribed Tam. by Dorr
 but could not find any roots of
 the old stp. Dorr had set this
 cor. on prop. when he set it.
 New B.O. Rock N 53 E 26.9 lks.
 Thru fields and enter swp.
 60.00 " Set N $1/16$ Cor. in swp.
 64.995 Spruce 5 S 20 W 38.7 lks.
 84.00 " Leave Spruce Swp.
 86.66 " To Sec. Cor. in East & West road.
 of 8-17-18-7. This Cor. re'est.
 by Dorr, his Cor. gone but re'est.
 again by Brooks his old Hem. 14
 S 62 $\frac{1}{2}$ E 43 $\frac{1}{2}$ lks. still there.
 Put stone in road and set W.C.
 50 lks. South.

West Bet. Sec. 8 - 17

Bearing: S 88 - 31 W

22.33 " Along road to E $1/16$ Cor. Set
 the stake on North side of road.
 Maple 6 N 20 W 23.3 lks.
 44.66 " Along road to $\frac{1}{4}$ Cor. Found B.O.
 by Hutchinson Stone N 45 E 41 lks.
 Iron pin for Cor. & W.C. 50 lks. S.

Bearing: S 88 - 51 W

24.605 " Set W $1/16$ Cor. on North side of
 road.
 27.50 " Road to North.
 39.00 " Town road turns South.
 49.21 " Along road to Sec. Cor. 8-17-18-7.
West Bet. Sec. 7-18
 Bearing: S 87 - 59 W

2.00 " Leave Fire lane bearing NW.
 16.005 " Set East $1/16$ Cor.
 29.50 " Enter Spruce Swp.
 36.01 " To Orig. $\frac{1}{4}$ Cor. Orig. NE still
 there but rotten stub.
 New Spruce 6 S 17 W 50 $\frac{1}{2}$ lks.

Bearing: S 88 - 26 W

14.75 " Leave Spruce Swp.
 21.42 " Set West $1/16$ Cor. which agrees
 with old stake.
 36.80 " Old B.T. Birch 16 N 50 E 35.8 lks.
 Cross Fire lane NE & SW.

West Bet. Sec. 6 - 7

Bearing: S 89 - 22 W

Fence West.

5.10 Chs. Over pond and enter stand of
Aspen and W. Birch.
18.90 " Leave Aspen for open swp.
20.525 " Set East 1/16 Cor. in fence line
E & W.
37.10 " Leave swp. for Norway ridge.
41.05 " To 1/2 Cor. found a scribed stake
and B.T. by unknown surveyor.
Norway 10 N 77 1/2 W 17 lks. Found
roots of Pine in approx. positions
as given by Gov't.

Bearing: S 89 - 14 W

2.50 " Enter open swp. some Spruce.
17.35 " Leave swp. for Norway Pine ridge.
19.45 " Enter large open swp. with some
Tam. and Spruce.
20.52 " Set West 1/16 Cor. in swp.
42.40 " Leave swamp for Norway ridge.
43.40 " To Sec. Cor. 6-7-12-1 on West
Range line.

North Bet. Sec. 5 - 6

Bearing: N 2 - 21 E

3.60 " Over pond and enter Spruce Swp.
4.85 " Leave swp. for W. Birch ridge.
8.35 " Enter swp. Scattered Spruce and
Tam.
19.66 " Set South 1/16 Cor. in swp.
37.80 " Leave swp. for Aspen & W. Birch.
39.32 " To 1/4 Cor. set by Dorr. His old
B.T. gone but found stake.
Set Cor. and new B.T.
W. Birch 7 N 75 1/2 W 20.6 lks.
W. Birch 8 N 23 W 23.0 lks.
W. Pine 13 S 20 1/2 E 58.2 lks.

Bearing: N 2 - 36 E

15.30 " Logging road NE & SW.
19.67 " Thru stand of mixed Hwds. with
slashing on the West side, and
set N 1/16 Cor. This agrees with
old Cor. by Dorr. His old Hem.
B.T. still there 14 N 23 W 20 lks.
Leave Hwds. for W. Birch and Aspen.
22.00 " Enter open swp.
27.90 " Leave swp. for W. Birch ridge.
34.30 " Enter open swp.
38.30 " To Cor. of 32-5-6-31, on North
town line.
40.40 "

This is to certify that I, D. A. Hintz, have made this Survey, a retracement of the Original Government Field work in this Township with the aid of recorded County Survey notes on record in the County Clerks Office of Langlade County State of Wisconsin, and Original Gov't. Field Notes.

All bearings are True Bearings calculated from a Polaris observation and all Sections were closed by computing latitudes and departures and found to be correct.

I have done this work to the best of my knowledge and in compliance with the U. S. G.L.O. manual.

D.A. Hintz.
May 11, 1939

Instruments used.

- 1 Dietzgen Light Highway Transite in good condition.
- 1 Dietzgen 200 link steel tape, in good condition.
- 1 Dietzgen 100 foot steel tape, in good condition.
- 1 Set of chaining pins and a Range pole.

Section corners and $\frac{1}{4}$ corners are set with $\frac{1}{4}$ boiler tubing filled with concrete, surmounted by a brass cap, on which is stamped the corner location.

All 1/16 corners are set with Cedar posts and their location inscribed on them.